



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12	updat\$ with (messag\$ or notification) and urgent with updat\$ same (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:46
L3	140	updat\$ with (messag\$ or notification) and (important or urgent) with updat\$ same (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:46
L4	18	updat\$ with (messag\$ or notification) and (important or urgent) with updat\$ same (appliance or device) and port and "SMTP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:52
L5	2	updat\$ with (messag\$ or notification) and (important or urgent) with updat\$ same (appliance or device) and port and "SMTP" and push and pull	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2006/12/22 18:53
L6	0	updat\$ with (messag\$ or notification) and urgent with updat\$ same (appliance or device) and port and push and pull	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:54
L7	37	updat\$ with (messag\$ or notification) and urgent with (messag\$ or notification) and updat\$ same (appliance or device) and port and push and pull	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:56
L8	3	updat\$ with (messag\$ or notification) and urgent with (messag\$ or notification) and updat\$ same (appliance or device) and port and push and pull with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:30
L10	1	"20040002958".pn. and updat\$ with (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:32
L11	1	"20040002958".pn. and updat\$ same (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:32
LÍ2	0	"20040002958".pn. and updat\$ same urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2006/12/22 19:33

			-			
L13	1	"20040002958".pn. and urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:33
L14	1	"20040002958".pn. and urgent and alert	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:36
L15	1	"20040002958".pn. and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:39
L16	1	"20040002958".pn. and create	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:41
L17	1	"20040002958".pn. and send	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:42
L18	1	"20040002958".pn. and send same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:54
L19	1	"20040002958".pn. and "log"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:56
L20	1	"20040002958".pn. and address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:27
L21	. 0	"20040002958".pn. and address same log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:57
L22	0	"20040002958".pn. and address same table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:57
L23	0	"20040002958".pn. and "IP address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:57
L24	0	"20040002958".pn. and "IP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 19:57

			•			
L25	0	"20040002958".pn. and(appliaction or software) same updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:27
L26	0	"20040002958".pn. and (appliaction or software) same updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:27
L27	1	"20040002958".pn. and (appliaction or software) and updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:29
L28	1	"20040002958".pn. and ("component" or "system") same updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:32
L29	1	"20040002958".pn. and (config\$) same ("CPU" or "Processing unit" or Process\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ·	ON	2006/12/22 20:33
L30	. 0	"20040002958".pn. and (config\$) same ("CPU" or "Processing unit" or Process\$) same updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:53
L31	1	"20040002958".pn. and (router or firewall or server)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:40
L32	1	"20040002958".pn. and (pull or push)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:40
L33	1	"20040002958".pn. and ("CPU" or "Processing unit" or Process\$) same updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:54
L34	1	"20040002958".pn. and ("CPU" or "Processing unit")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 20:55
L35	. 1	"20040002958".pn. and connection	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2006/12/22 21:24
L36	1	"20040116119".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 21:24

······						·
S2	. 0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "UUN"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:06
S3	44	"UUN"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:18
S4	4	("6751218" "20040116119" "200401 22626" "20040122907").pn. and update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ŌΝ	2005/12/11 19:23
S5		("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and appliance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:24
S6	4	("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 19:24
S7	3	("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and device and message and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:04
S9	2	("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and (device or appliance) with network and message and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:32
S11	0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and (device or appliance) with network and message and port and urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:07
S12		("6751218" "20040116119" "200401 22626" "20040122907").pn. and update and (device or appliance) and network and message and port and urgent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:07
S14	. 1	"urgent update notification"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/12/11 22:08
S15	2	"urgent update" and (appliance or device) and network and port	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:21

S16	. 8536	"Port 25"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:14
S17	2	"Port 25" and urgent with message and (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:14
S18	1	"20040116119".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 22:21
S19	3	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "SMTP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:35
S20	. 0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and ("out of date" or old) with "IP"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:12
S21 -		("6751218" "20040116119" "200401 22626" "20040122907").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:36
S22	2	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "IP address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:37
S23	0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "IP address" same old	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:37
S24	0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "IP address" same date	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:38
S25	1	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "IP address" same (remov\$ or delet\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:39
S26	32	log with update and "IP address" with (remov\$ or delete or "up to date")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:40
S27	0	log with update and "IP address" with (remov\$ or delete or "up to date") and updat with ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:41

•	,					
S28	0	log with update and "IP address" with (remov\$ or delete or "up to date") and updat with message same ("appliance" or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:42
S29	1	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ with message same ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:43
S30	7	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ with message and ("appliance" or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:42
S31	32	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:43
S32	15	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and ("appliance" or device) and message and email	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:44
S33	. 11	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and ("appliance" or device) and message and email and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:44
S34	11	log with update and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:47
S35	233	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:47
S36	38	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2005/12/11 23:48
S37	10	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:48

	,			·	,	
S38	10	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:50
S39	0	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless and (emergency or important or urgent) with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:49
S40		log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and network and updat\$ with message with log and wireless and updat\$ with network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:50
S41	9	log with "IP address" and "IP address" with (remov\$ or delete or "up to date") and updat\$ and device and message and email and wireless and updat\$ with message with log and wireless and updat\$ with network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
S42	. 0	"urgent update" with device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
S43	1	"urgent update" same device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
S44	37	"urgent update"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/11 23:54
S45	15	"urgent update" and device and message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:06
S46	53	updat\$.ti. and message with updat\$ and device and "IP address" and network with device.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:07

S47	10	updat\$.ti. and message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:29
S48	0	updat\$.ti. same message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR.	ON	2005/12/12 00:08
S49	0	updat\$.ti. same message and message with updat\$ and device and "IP address" and network with device and port and header and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:08
S50	6896	log with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:29
S51	3073	log with updat\$ and network with device	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:30
S52	86	log with updat\$ and network with device and "ip address" with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2005/12/12 00:30
S53	. 37	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:30
S54	24	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:31
S55	19	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ÓΝ	2005/12/12 00:52
S57	. 1	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:51
S58	3	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:51
S59	8	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:57

		•				
S60	0	log with updat\$ with messsage and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
S61	0	log with updat\$ with messsage and network and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
S62	136	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless and update with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:55
S63	136	log with updat\$ and network with device and "ip address" with log and (delet\$ or remov\$) with "IP address" and wireless and update with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON .	2005/12/12 00:55
S64	1	"20040122907"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:57
S65	0	"20040122907".pn. and "ip address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:58
S66	1	"20040122907".pn. and "address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 00:58
S67	0	("6751218" "20040116119" "200401 22626" "20040122907").pn. and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:04
S68	11	remov\$ with "IP address" with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:06
S69		remov\$ with "IP address" with log and device and message with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:05
S70	2	remov\$ with "IP address" with log and router and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:15

S71		remov\$ with "IP address" with log and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:09
S72	5	(delet\$ or remov\$) with "IP address" with log and router and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:09
S73	2	("6751218" "20040116119" "200401 22626" "20040122907").pn. and "ip address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:12
S74	· 4	remov\$ with "IP address" with log and network with device and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:15
S75	10	(delet\$ or remov\$) with "IP address" with log and network with device and wireless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:16
S76	10	(delet\$ or remov\$) with "IP address" with log and network with device and wireless and log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:38
S77	2	(delet\$ or remov\$) with "IP address" with log and update with log	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:47
S78	1281	messag\$ with updat\$ and "ip address" and log with "ip address" and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:47
S79	317	messag\$ with updat\$ and "ip address" and log with "ip address" and network with device and expir\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:48
S80	188	messag\$ with updat\$ and "ip address" and log with "ip address" and network with device and expir\$ and log with update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:48
S81	80	messag\$ with updat\$ and "ip address" and log with "ip address" and network with device and expir\$ and log with updat\$ with message	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 01:48

S82	29	messag\$ with updat\$ and "ip address" and log with "ip address" and network with device and expir\$ and log with updat\$ with message and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:39
S83	1	"20050203673".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:28
S84	1	"20050203673".pn. and messag\$ with updat\$ and "ip address" and log with "ip address" and log with updat\$ with message and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:40
S85	0	"20050203673".pn. and message with updat\$ and "ip address" and log with "ip address" and log with updat\$ with message and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ,	ON	2005/12/12 08:41
S86	. 1	"20050203673".pn. and updat\$ and "ip address" and log with "ip address" and log with message and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:41
S87	0	"20050203673".pn. and updat\$ and "ip address" and log with "ip address" and log with updat\$ and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:41
S88	0	"20050203673".pn. and updat\$ and "ip address" and log with "ip address" and log with update and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:41
S89	0	"20050203673".pn. and updat\$ and "ip address" and log with "ip address" and log and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:42
S90	0	"20050203673".pn. and updat\$ and "ip address" and log with "ip address" and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:42
S91	0	"20050203673".pn. and updat\$ and "ip address" and "IP address" with (remov\$ or delete\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:42

			•			
S92	0	"20050203673".pn. and updat\$ and "ip address"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:43
S93	0	"20050203673".pn. and remov\$ with address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:43
S94	0	"20050203673".pn. and remov\$ same address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:43
S95	1	"20050203673".pn. and address	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:43
S96	4	("6751218" "20040116119" "200401 22626" "20040122907").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/12 08:47
S97	1	"20040116119".pn. and pull	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/21 20:29
S98	1	"20040116119".pn. and receiv?\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/21 20:29
S99	1	"20040116119".pn. and receiv\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/21 20:31
S10 0	0	"20040116119".pn. and reply	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/21 20:55
S10 1	1	"20040116119".pn. and response	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/21 20:55
S10 2	52	("urgent update notification" or "UUN")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:08
S10 3	1	("urgent update notification" or "UUN") same "urgent" with update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:07

S10 4	1	("urgent update notification" or "UUN") same update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2006/12/22 14:07			
S10 5	1	("urgent update notification" or "UUN") and "urgent" with update	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:07			
S10 6	13	("urgent update notification" or "UUN") and updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:08			
S10 7	13	("urgent update notification" or "UUN") and updat\$ and (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:55			
S10 8	31	("urgent update notification" or "UUN") and (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:56			
S10 9	. 1	("urgent update notification" or "UUN") and (appliance or device) and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 14:55			
S11 0	1	"20040115119".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:14			
S11 1	1	"20040116119".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:24			
S11 2	1	"20040116119".pn. and updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:28			
S11 3		"updat\$ messag\$"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:28			
S11 4	30757	updat\$ with messag\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:30			
S11 5	0	updat\$ with messag\$ and urgeant with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:31			

S11 6	81	updat\$ with messag\$ and urgent with updat\$	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 15:40
S11 7	67	updat\$ with messag\$ and urgent with updat\$ and (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 17:35
S11 8	12	updat\$ with messag\$ and urgent with updat\$ same (appliance or device)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/22 18:45